LA INDUSTRIA DE LA CERRAJERÍA

M22 486 Quarter Turn Latches

Descripción


Quarter turn latches far doors with a thickness between 6 and 57mm (see R). Designed far use in harsh climate conditions or when IP-rating is required.

AGA supplies as standard L=18mm, R=6 or 8mm, with Z-150 cam and without key except in the model 400, which is supplied with 59DP or 8705 key model (page 9). Further measurements upan request.

KEY FORM	Slot
MATERIAL	Zamak
FINISH (zamak)	Chromium plated, Black
FEATURES	L = 18 mm / R = 8 mm L = 28 mm / R = 18 mm L = 36 mm / R = 26 mm L = 62 mm / R = 51 mm
WEIGHT(grs)	76
LOCKING DIRECTION	90º Left/Right
IP-RATING	(IP66)
ACCESORIES	M22 Nut, M22 metallic washer, M22 plastic washer
KEY	-

Fotos





Otros Accesorios:



Tapa protectora
Accesorios: página 63.

LENGÜETAS								
Z	**Z150**	**Z151**	**Z152**	**Z153**	**Z157**	**Z158**	**Z159**	**Z160**
H	47	52	57	62	47	47	47	47
G	-	-	-	-	5	10	15	20

