LA INDUSTRIA DE LA CERRAJERÍA

M22 497 Quarter Turn Latches

Descripción


Quarter turn latches far doors with a thickness between 6 and 57mm (see R). Designed far use in harsh climate conditions or when IP-rating is required.

AGA supplies as standard L=18mm, R=6 or 8mm, with Z-150 cam and without key except in the model 400, which is supplied with 59DP or 8705 key model (page 9). Further measurements upan request.

KEY FORM	Square 8 mm
MATERIAL	Zamak
FINISH (zamak)	Chromium plated, Black
FEATURES	L = 18 mm / R = 8 mm L = 28 mm / R = 18 mm L = 36 mm / R = 26 mm L = 62 mm / R = 51 mm
WEIGHT(grs)	76
LOCKING DIRECTION	90º Left/Right
IP-RATING	(IP66)
ACCESORIES	M22 Nut, M22 metallic washer, M22 plastic washer
KEY	3018C

Fotos





Otros Accesorios:



Tapa protectora
Accesorios: página 63.

LENGÜETAS								
Z	**Z150**	**Z151**	**Z152**	**Z153**	**Z157**	**Z158**	**Z159**	**Z160**
H	47	52	57	62	47	47	47	47
G	-	-	-	-	5	10	15	20

