



LA INDUSTRIA DE LA CERRAJERÍA

## M22 497 Quarter Turn Latches


### Descripción

Quarter turn latches for doors with a thickness between 6 and 57mm (see R). Designed for use in harsh climate conditions or when IP-rating is required.

AGA supplies as standard L=18mm, R=6 or 8mm, with Z-150 cam and without key except in the model 400, which is supplied with 59DP or 8705 key model (page 9). Further measurements upon request.

|                          |  |
|--------------------------|--|
| <b>KEY FORM</b>          | Square 8 mm  |
| <b>MATERIAL</b>          | Zamak  |
| <b>FINISH (zamak)</b>    | Chromium plated, Black   |
| <b>FEATURES</b>          | L = 18 mm / R = 8 mm L = 28 mm / R = 18 mm L = 36 mm / R = 26 mm L = 62 mm / R = 51 mm |
| <b>WEIGHT(grams)</b>     | 76   |
| <b>LOCKING DIRECTION</b> | 90° Left/Right   |
| <b>IP-RATING</b>         | (IP66)   |
| <b>ACCESSORIES</b>       | M22 Nut, M22 metallic washer, M22 plastic washer                                       |
| <b>KEY</b>               | 3018C  |

Fotos




LA INDUSTRIA DE LA CERRAJERÍA

Otros Accesorios:



**Tapa protectora**  
Accesorios: página 63.

| LENGÜETAS |      |      |      |      |      |      |      |      |
|-----------|------|------|------|------|------|------|------|------|
| Z         | Z150 | Z151 | Z152 | Z153 | Z157 | Z158 | Z159 | Z160 |
| H         | 47   | 52   | 57   | 62   | 47   | 47   | 47   | 47   |
| G         | -    | -    | -    | -    | 5    | 10   | 15   | 20   |



LA INDUSTRIA DE LA CERRAJERÍA